



Light Up the Green World . LED Downlights Expert 7 Years

**1. Model No. TD051A
LED Downlight**

TD051B

TD051D

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TD051-2.5F	5W	400lm	Philips Driver	CREE COB	3000K 4000K 5000K	50°	>0.90	Ra80/90	φ89.7*H56	φ75
TD051-3F	9W	790lm							φ110*H68	φ90
TD051-4F	15W	1300lm							φ137.5*H82	φ120
TD051-5F	20W	1700lm							φ165*H91	φ140
TD051-6F	30W	2600lm							φ195*H107	φ170
TD051-8F	40W	3500lm							φ235*H127.5	φ200

**2. Model No. TD053A
IP54 COB Downlight**

TD053B

TD053C

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TD053-3F	10W	850lm	Philips Driver	CREE COB	3000K 4000K 5000K	50°	>0.90	Ra80/90	φ110*H61	φ95
TD053-4F	15W	1300lm							φ135*H69	φ110
TD053-5F	25W	2200lm							φ160*H75	φ130
TD053-6F	40W	3500lm							φ185*H100	φ165
TD053-8F	60W	4800lm							φ240*H120	φ205

Warranty 3-5 Years1. www.lhwyled.com



Light Up the Green World . LED Downlights Expert 7 Years

**3. Model No. TD033A
LED Downlight**

TD033B

TD033C

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TD033-3F	9W	750lm	Philips Driver	CREE COB	3000K 4000K 5000K	60°	>0.90	Ra80/90	φ108*H52	φ95
TD033-4F	15W	1300lm							φ142*H65	φ125
TD033-5F	20W	1700lm							φ158*H75	φ140
TD033-6F	25W	2200lm							φ185*H88	φ170
TD033-8F	40W	3500lm							φ226*H108	φ210
TD033-10F	60W	5000lm							φ282*H130	φ265

**4. Model No. TD041
Horn LED Downlight**


Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TD041-3F	9W	750lm	Philips Driver	CREE COB	3000K 4000K 5000K	24°	>0.90	Ra80/90	φ105*H90.5	φ95
TD041-4F	15W	1300lm				60°			φ139*H110.5	φ125
TD041-5F	25W	2200lm				φ162*H125.5			φ140	
TD041-6F	40W	3500lm				φ185*H145			φ170	

Warranty 3-5 Years

2. www.lhwyled.com




Light Up the Green World . LED Downlights Expert 7 Years



**5. Model No. SD001
LED Gimbal Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
SD001-3F	7W	550lm	Philips Driver	CREE COB	3000K 4000K 5000K	24°	>0.90	Ra80/90	φ86*H68	φ70
SD001-4F	12W	1000lm							φ118*H65	φ90
SD001-5F	20W	1700lm							φ140*H80	φ120
SD001-6F	30W	2500lm							φ160*H125	φ145



**6. Model No. SD004
LED Square Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
SD004A	30W	2400lm	Philips Driver	CREE COB	3000K 4000K 5000K	12° 24° 36°	>0.90	Ra80/90	SQ175*H145	150*150
SD004B	50W	4000lm							SQ175*H180	150*150
SD004C	2*30W	2*2400lm							175*325*H145	150*300
SD004D	2*50W	2*4000lm							175*325*H180	150*300

Warranty 3-5 Years

3. www.lhwyled.com



Light Up the Green World . LED Downlights Expert 7 Years



7. Model No. TD056
SMD COB Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TD056-4F	12W	100lm	Philips Driver	SanAn COB	3000K	60°	>0.90	Ra80/90	φ148*H63	φ125
TD056-6F	20W	1600lm			4000K				φ195*H63	φ168
TD056-8F	30W	2400lm			6000K				φ230*H63	φ190
TD056-10F	30W	2400lm			φ280*H88				φ195	



Model No. DLM001-A

DLM001-B

DLM001-C

DLM001-D



8. Model No. DLM001-E
Modular Downlight

DLM001-F

DLM001-C



Light Up the Green World . LED Downlights Expert 7 Years

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
DLM001-A	10W	850lm	Philips Driver	CREE COB	3000K 4000K 6000K	15°	>0.90	Ra80/90	SQ95*H98	85*85
	15W	1300lm				24°			SQ95*H103	
DLM001-B	10W	850lm				36°			SQ105*H113	95*95
	15W	1300lm				SQ105*H118				
DLM001-C	10W	850lm				SQ95*H118			85*85	
	15W	1300lm				SQ95*H123				
DLM001-D	10W	850lm		φ95*H98	φ85					
	15W	1300lm		φ95*H103						
DLM001-E	10W	850lm		φ90*H105	φ80					
	15W	1300lm		φ90*H110						
DLM001-F	10W	850lm		φ85*H105	φ77					
	15W	1300lm		φ85*H112						



9. Model No. DLM002



Trimless Modular Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
DLM002-A	5W	400lm	Philips Driver	CREE COB	3000K 4000K 6000K	15°	>0.90	Ra80/90	φ91*H78	φ92
DLM002-B	10W	800lm				24°			φ91*H115	
						38°				
						55°				

Warranty 3-5 Years




Light Up the Green World . LED Downlights Expert 7 Years



**10. Model No. XTD-B
Trimless Linear Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
XTD-B-01	2W*1	150lm	Philips Driver	CREE Osram	3000K 4000K 5000K	15° 30° 45°	>0.90	Ra80/90	35*35*H49	42*42
XTD-B-02	2W*2	300lm							65*35*H49	72*42
XTD-B-05	2W*5	800lm							138*35*H49	144*42
XTD-B-10	2W*10	1700lm							270*35*H49	277*42
XTD-B-15	2W*15	2500lm							403*35*H49	409*42



**11. Model No. XTD-A
LED Linear Downlight with Trim**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
XTD-A-01	2W*1	150lm	Philips Driver	CREE Osram	3000K 4000K 5000K	15° 30° 45°	>0.90	Ra80/90	45*45*H49	37*37
XTD-A-02	2W*2	300lm							75*45*H49	68*37
XTD-A-05	2W*5	800lm							147*45*H49	140*37
XTD-A-10	2W*10	1700lm							280*45*H49	273*37
XTD-A-15	2W*15	2500lm							415*45*H49	405*37

Warranty 3-5 Years



Light Up the Green World . LED Downlights Expert 7 Years



12. Model No. SMDL001 Square Surface Mounted Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Height(mm)
SMDL001-4F	10W	850lm	Philips Driver	CREE	3000K 4000K 5000K	24°	>0.90	Ra80/90	80*80	103
SMDL001-5F	15W	1300lm							100*100	112
SMDL001-6F	20W	1700lm							120*120	133
SMDL001-8F	30W	2500lm							150*150	142




13. Model No. SD002 LED Gimbal Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
SD002-2.5F	7W	550lm	Philips Driver	CREE COB	3000K 4000K 5000K	24°	>0.90	Ra80/90	φ85*H78	φ76
SD002-4F	15W	1300lm							φ130*H110	φ120
SD002-5F	30W	2500lm							φ165*H143	φ155
SD002-6F	40W	3500lm							φ190*H155	φ170



Warranty 3-5 Years

Light Up the Green World . LED Downlights Expert 7 Years



14. Model No. HSTD001 LED Wall Washer Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
HSTD001-A	10W	850lm	Philips Driver	CREE	3000K 4000K 5000K	24° 38°	>0.90	Ra80/90	D90*H113	D78
HSTD001-B	15W	1300lm							D90*H134	D78
HSTD001-C	20W	1700lm							D120*H116	D100
HSTD001-D	40W	3500lm							D160*H156	D140



15. Model No. ATD001 Adjustable LED Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
ATD001-A	10W	850lm	Philips Driver	CREE CITIZEN	3000K 4000K 5000K	24° 60°	>0.90	Ra80/90	D111*H90	D80
ATD001-B	15W	1300lm							D120*H105	D90
ATD001-C	20W	1700lm							D142*H120	D110
ATD001-D1/ D2	30W 40W	2500lm 3400lm							D180*H130	D145/D160
ATD001-E1	40W	3400lm							D194*H135	D160



Warranty 3-5 Years

Light Up the Green World . LED Downlights Expert 7 Years



16. Model No. TD057
LED Downlight with Lens

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TD057-A	15W	1300lm	Philips Driver	CREE	3000K	24°	>0.90	Ra80/90	D115*H80	D95
TD057-B	30W	2500lm			4000K	38°			D142*H101	D125
TD057-C	40W	3300lm			5000K	60°			D160*H123	D140



17. Model No. TSD0808
Oblique Downlight Square

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TSD0808-A	10W	800lm	Philips Driver	CREE	3000K	24°	>0.90	Ra80/90	SQ95*H98	80*80
TSD0808-B	15W	1200lm			4000K					SQ115*H120
					5000K					



Warranty 3-5 Years

Light Up the Green World . LED Downlights Expert 7 Years

**18. Model No. TSD0816
Spot Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TSD0816-A	10W	850lm	Philips Driver	CREE	3000K	24°	>0.90	Ra80/90	SQ75*H65	D70
TSD0816-B	15W	1300lm							SQ100*H85	D90
TSD0816-C	20W	1700lm							SQ135*H110	D115

**19. Model No. DD001-1
LED Grille Light 1 Head**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
DD001-1-A	10W	850lm	Philips Driver	CREE	3000K	24°	>0.90	Ra80/90	SQ140*H144	125*125
DD001-1-B	15W	1300lm		CITIZEN	4000K	60°			SQ160*H163	145*145
DD001-1-C	25W	2200lm		5000K	SQ190*H173	170*170				
DD001-1-D	40W	3400lm		SQ203*H188	185*185					



Warranty 3-5 Years

Light Up the Green World . LED Downlights Expert 7 Years



20. Model No. DD001-2
LED Grille Light 2 Heads

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
DD001-2-A	2*10W	2*850lm	Philips Driver	CREE	3000K	24°	>0.90	Ra80/90	260*140*H144	245*125
DD001-2-B	2*15W	2*1300lm		CITIZEN	4000K	60°			320*160*H163	305*145
DD001-2-C	2*25W	2*2200lm		5000K	375*190*H173	355*170				
DD001-2-D	2*40W	2*3400lm		405*203*H188	385*185					



21. Model No. DD001-3
LED Grille Light 3 Heads

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
DD001-3-A	3*10W	3*850lm	Philips Driver	CREE	3000K	24°	>0.90	Ra80/90	372*140*H144	360*125
DD001-3-B	3*15W	3*1300lm		CITIZEN	4000K	60°			462*160*H163	450*145
DD001-3-C	3*25W	3*2200lm		5000K	538*190*H173	520*170				

Warranty 3-5 Years