


**1. Model No. GSD801****Product Name: LED Grille Downlight 8W**

| Model No. | Power | Lumen(lm) | Driver Brand | LED Style | CCT(K) | Beam Angle | Power Factor | CRI | Size(mm) | Cutout(mm) |
|------------|-------|-----------|----------------|-----------|-------------------------|------------|--------------|---------|------------|------------|
| GSD801-1-C | 1*8W | 700lm | Philips Driver | CREE | 3000K 4000K 5000K | 15° 24° | >0.90 | Ra80/90 | 110*110*96 | 100*100 |
| GSD801-2-C | 2*8W | 2*700lm | | | | | | | 190*110*96 | 180*100 |
| GSD801-3-C | 3*8W | 3*700lm | | | | | | | 264*110*96 | 255*100 |
| GSD801-4-C | 4*8W | 4*700lm | | | | | | | 190*190*96 | 180*180 |

**2. Model No. GSD1201****Product Name: LED Grille Downlight 12W**

| Model No. | Power | Lumen(lm) | Driver Brand | LED Style | CCT(K) | Beam Angle | Power Factor | CRI | Size(mm) | Cutout(mm) |
|-------------|-------|-----------|----------------|-----------|-------------------------|------------|--------------|---------|-------------|------------|
| GSD1201-1-C | 1*12W | 1000lm | Philips Driver | CREE | 3000K 4000K 5000K | 15° 24° | >0.90 | Ra80/90 | 132*132*121 | 120*120 |
| GSD1201-2-C | 2*12W | 2*1000lm | | | | | | | 232*132*121 | 220*120 |
| GSD1201-3-C | 3*12W | 3*1000lm | | | | | | | 340*132*121 | 330*120 |
| GSD1201-4-C | 4*12W | 4*1000lm | | | | | | | 232*232*121 | 220*220 |



3. Model No. GSD1201

Product Name: LED Grille Downlight 12W

| Model No. | Power | Lumen(lm) | Driver Brand | LED Style | CCT(K) | Beam Angle | Power Factor | CRI | Size(mm) | Cutout(mm) |
|-------------|-------|-----------|----------------|-----------|-------------------------|-------------|--------------|---------|-------------|------------|
| GSD1201-1-A | 1*12W | 1000lm | Philips Driver | CREE | 3000K 4000K 5000K | 15° | >0.90 | Ra80/90 | 133*132*110 | 120*120 |
| GSD1201-2-A | 2*12W | 2*1000lm | | | | 24° | | | 232*132*110 | 220*120 |
| GSD1201-3-A | 3*12W | 3*1000lm | | | | 240*132*110 | | | 330*120 | |
| GSD1201-4-A | 4*12W | 4*1000lm | | | | 232*232*110 | | | 225*225 | |



4. Model No. SD005

Product Name: LED Trunk Downlight

| Model No. | Power | Lumen(lm) | Driver Brand | LED Style | CCT(K) | Beam Angle | Power Factor | CRI | Size(mm) | Cutout(mm) |
|------------|-------|-----------|----------------|-----------|-------------------------|------------|--------------|---------|-----------|------------|
| SD005-2.5F | 10W | 850lm | Philips Driver | CREE | 3000K 4000K 5000K | 24° | >0.90 | Ra80/90 | D90*H70 | D75 |
| SD005-3F | 15W | 1300lm | | | | 38° | | | D115*H125 | D100 |
| SD005-4F | 25W | 2200lm | | | | D138*H120 | | | D128 | |
| SD005-5F | 35W | 2900lm | | | | D165*H155 | | | D145 | |
| SD005-6F | 40W | 350lm | | | | D190*H165 | | | D175 | |

**5. Model No. ATD002-2****Product Name: Eyeball LED Downlight 2 Heads**

| Model No. | Power | Lumen(lm) | Driver Brand | LED Style | CCT(K) | Beam Angle | Power Factor | CRI | Size(mm) | Cutout(mm) |
|------------|-------|-----------|----------------|-----------|--------|------------|--------------|---------|----------------|------------|
| ATD002-2-A | 2*12W | 2*1000lm | Philips Driver | CREE | 3000K | 15° | >0.90 | Ra80/90 | W115*L210*H95 | W95*L190 |
| ATD002-2-B | 2*20W | 2*1700lm | | | 4000K | 24° | | | W135*L250*H120 | W115*L230 |
| ATD002-2-C | 2*30W | 2*2500lm | | | 5000K | 38° | | | W135*L250*H130 | W115*L230 |

**6. Model No. ATD002****Product Name: Eyeball LED Downlight 1 Head**

| Model No. | Power | Lumen(lm) | Driver Brand | LED Style | CCT(K) | Beam Angle | Power Factor | CRI | Size(mm) | Cutout(mm) |
|-----------|-------|-----------|----------------|-----------|-----------|------------|--------------|---------|-----------|------------|
| ATD002-3F | 12W | 1050lm | Philips Driver | CREE | 3000K | 15° | >0.90 | Ra80/90 | D115*H95 | D95 |
| ATD002-4F | 15W | 1300lm | | | 4000K | 24° | | | D115*H105 | D95 |
| ATD002-5F | 20W | 1700lm | | | 5000K | 40° | | | D135*H120 | D120 |
| ATD002-6F | 30W | 2600lm | | | D135*H130 | D120 | | | | |



7. Model No. TSD0806

Product Name: Square Adjustable LED Downlight 10W 15W 20W

| Model No. | Power | Lumen(lm) | Driver Brand | LED Style | CCT(K) | Beam Angle | Power Factor | CRI | Size(mm) | Cutout(mm) |
|-----------|-------|-----------|----------------|-----------|-------------------------|------------|--------------|---------|------------|------------|
| TSD0806-A | 10W | 850lm | Philips Driver | CREE | 3000K 4000K 5000K | 24° | >0.90 | Ra80/90 | SQ85*H65 | D75 |
| TSD0806-B | 15W | 1300lm | | | | | | | SQ110*H85 | D95 |
| TSD0806-C | 20W | 1700lm | | | | | | | SQ145*H100 | D115 |



8. Model No. TSD0803

Product Name: Round LED Spot Downlight

| Model No. | Power | Lumen(lm) | Driver Brand | LED Style | CCT(K) | Beam Angle | Power Factor | CRI | Size(mm) | Cutout(mm) |
|-----------|-------|-----------|----------------|-----------|-------------------------|------------|--------------|---------|-----------|------------|
| TSD0803-A | 10W | 850lm | Philips Driver | CREE | 3000K 4000K 5000K | 24° | >0.90 | Ra80/90 | D80*H90 | D75 |
| TSD0803-B | 15W | 1300lm | | | | | | | D100*H115 | D90 |
| TSD0803-C | 20W | 1700lm | | | | | | | D135*H145 | D115 |



9. Model No. TD036A

Product Name: SMD/COB LED Downlight

| Model No. | Power | Lumen(lm) | Driver Brand | LED Style | CCT(K) | Beam Angle | Power Factor | CRI | Size(mm) | Cutout(mm) |
|-----------|-------|-----------|----------------|-----------|--------|------------|--------------|------|----------|------------|
| TD036A-5F | 10W | 850lm | Philips Driver | SMD | 3000K | 100° | >0.90 | Ra80 | D145*H63 | D125 |
| TD036A-6F | 20W | 1700lm | | | 4000K | | | | D196*H63 | D170 |
| TD036A-8F | 30W | 2500lm | | | 6000K | | | | D242*H63 | D210 |