



Light Up the Green World . LED Downlights Expert 7 Years



1. Model No. TD051A
LED Downlight

TD051B

TD051D

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TD051-2.5F	5W	400lm	Philips Driver	CREE COB	3000K 4000K 5000K	50°	>0.90	Ra80/90	φ89.7*H56	φ75
TD051-3F	9W	790lm							φ110*H68	φ90
TD051-4F	15W	1300lm							φ137.5*H82	φ120
TD051-5F	20W	1700lm							φ165*H91	φ140
TD051-6F	30W	2600lm							φ195*H107	φ170
TD051-8F	40W	3500lm							φ235*H127.5	φ200



2. Model No. TD053A
IP54 COB Downlight

TD053B

TD053C

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TD053-3F	10W	850lm	Philips Driver	CREE COB	3000K 4000K 5000K	50°	>0.90	Ra80/90	φ110*H61	φ95
TD053-4F	15W	1300lm							φ135*H69	φ110
TD053-5F	25W	2200lm							φ160*H75	φ130
TD053-6F	40W	3500lm							φ185*H100	φ165
TD053-8F	60W	4800lm							φ240*H120	φ205

1. warranty 3/5 years



Light Up the Green World . LED Downlights Expert 7 Years



**3. Model No. TD033A
LED Downlight**

TD033B

TD033C

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TD033-3F	9W	750lm	Philips Driver	CREE COB	3000K 4000K 5000K	60°	>0.90	Ra80/90	φ108*H52	φ95
TD033-4F	15W	1300lm							φ142*H65	φ125
TD033-5F	20W	1700lm							φ158*H75	φ140
TD033-6F	25W	2200lm							φ185*H88	φ170
TD033-8F	40W	3500lm							φ226*H108	φ210
TD033-10F	60W	5000lm							φ282*H130	φ265




**4. Model No. TD041
Horn LED Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TD041-3F	9W	750lm	Philips Driver	CREE COB	3000K 4000K 5000K	24°	>0.90	Ra80/90	φ105*H90.5	φ95
TD041-4F	15W	1300lm				60°			φ139*H110.5	φ125
TD041-5F	25W	2200lm				φ162*H125.5			φ140	
TD041-6F	40W	3500lm				φ185*H145			φ170	

2. warranty 3/5 years




Light Up the Green World . LED Downlights Expert 7 Years



5. Model No. SD001
LED Gimbal Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
SD001-3F	7W	550lm	Philips Driver	CREE COB	3000K 4000K 5000K	24°	>0.90	Ra80/90	φ86*H68	φ70
SD001-4F	12W	1000lm							φ118*H65	φ90
SD001-5F	20W	1700lm							φ140*H80	φ120
SD001-6F	30W	2500lm							φ160*H125	φ145



6. Model No. SD004
LED Square Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
SD004A	30W	2400lm	Philips Driver	CREE COB	3000K 4000K 5000K	12°	>0.90	Ra80/90	SQ175*H145	150*150
SD004B	50W	4000lm				24°			SQ175*H180	150*150
SD004C	2*30W	2*2400lm				36°			175*325*H145	150*300
SD004D	2*50W	2*4000lm				175*325*H180			150*300	

3. warranty 3/5 years



Light Up the Green World . LED Downlights Expert 7 Years



7. Model No. TD056 SMD COB Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TD056-4F	12W	100lm	Philips Driver	SanAn COB	3000K	60°	>0.90	Ra80/90	φ148*H63	φ125
TD056-6F	20W	1600lm			4000K				φ195*H63	φ168
TD056-8F	30W	2400lm			6000K				φ230*H63	φ190
TD056-10F	30W	2400lm			φ280*H88				φ195	



Model No. DLM001-A

DLM001-B

DLM001-C

DLM001-D



8. Model No. DLM001-E Modular Downlight

DLM001-F

DLM001-C

4. warranty 3/5 years



Light Up the Green World . LED Downlights Expert 7 Years

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
DLM001-A	10W	850lm	Philips Driver	CREE	3000K 4000K 6000K	15°	>0.90	Ra80/90	SQ95*H98	85*85
	15W	1300lm				24°			SQ95*H103	
DLM001-B	10W	850lm		36°		SQ105*H113			95*95	
	15W	1300lm				SQ105*H118				
DLM001-C	10W	850lm		SQ95*H118		85*85				
	15W	1300lm		SQ95*H123						
DLM001-D	10W	850lm		φ95*H98		φ85				
	15W	1300lm		φ95*H103						
DLM001-E	10W	850lm		φ90*H105		φ80				
	15W	1300lm		φ90*H110						
DLM001-F	10W	850lm		φ85*H105		φ77				
	15W	1300lm		φ85*H112						





9. Model No. DLM002
Trimless Modular Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
DLM002-A	5W	400lm	Philips Driver	CREE	3000K 4000K 6000K	15°	>0.90	Ra80/90	φ91*H78	φ92
DLM002-B	10W	800lm		COB		24°			φ91*H115	
			38°							
				55°						

5. warranty 3/5 years




Light Up the Green World . LED Downlights Expert 7 Years



10. Model No. XTD-B
Trimless Linear Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
XTD-B-01	2W*1	150lm	Philips Driver	CREE	3000K	15°	>0.90	Ra80/90	35*35*H49	42*42
XTD-B-02	2W*2	300lm		Osram	4000K	30°			65*35*H49	72*42
XTD-B-05	2W*5	800lm		5000K	45°	138*35*H49			144*42	
XTD-B-10	2W*10	1700lm		270*35*H49	277*42					
XTD-B-15	2W*15	2500lm		403*35*H49	409*42					




11. Model No. XTD-A
LED Linear Downlight with Trim

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
XTD-A-01	2W*1	150lm	Philips Driver	CREE	3000K	15°	>0.90	Ra80/90	45*45*H49	37*37
XTD-A-02	2W*2	300lm		Osram	4000K	30°			75*45*H49	68*37
XTD-A-05	2W*5	800lm		5000K	45°	147*45*H49			140*37	
XTD-A-10	2W*10	1700lm		280*45*H49	273*37					
XTD-A-15	2W*15	2500lm		415*45*H49	405*37					

6. warranty 3/5 years



Light Up the Green World . LED Downlights Expert 7 Years



12. Model No. SMDL001
Square Surface Mounted Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Height(mm)
SMDL001-4F	10W	850lm	Philips Driver	CREE	3000K 4000K 5000K	24°	>0.90	Ra80/90	80*80	103
SMDL001-5F	15W	1300lm							100*100	112
SMDL001-6F	20W	1700lm							120*120	133
SMDL001-8F	30W	2500lm							150*150	142



13. Model No. SD002
LED Gimbal Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
SD002-2.5F	7W	550lm	Philips Driver	CREE	3000K 4000K 5000K	24°	>0.90	Ra80/90	φ85*H78	φ76
SD002-4F	15W	1300lm		COB					φ130*H110	φ120
SD002-5F	30W	2500lm		φ165*H143					φ155	
SD002-6F	40W	3500lm		φ190*H155					φ170	

7. warranty 3/5 years



Light Up the Green World . LED Downlights Expert 7 Years



14. Model No. HSTD001 LED Wall Washer Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
HSTD001-A	10W	850lm	Philips Driver	CREE	3000K 4000K 5000K	24° 38°	>0.90	Ra80/90	D90*H113	D78
HSTD001-B	15W	1300lm							D90*H134	D78
HSTD001-C	20W	1700lm							D120*H116	D100
HSTD001-D	40W	3500lm							D160*H156	D140



15. Model No. ATD001 Adjustable LED Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
ATD001-A	10W	850lm	Philips Driver	CREE	3000K 4000K 5000K	24°	>0.90	Ra80/90	D111*H90	D80
ATD001-B	15W	1300lm		CITIZEN		60°			D120*H105	D90
ATD001-C	20W	1700lm		D142*H120		D110				
ATD001-D1/ D2	30W 40W	2500lm 3400lm		D180*H130		D145/D160				
ATD001-E1	40W	3400lm		D194*H135		D160				

8. warranty 3/5 years



Light Up the Green World . LED Downlights Expert 7 Years



**16. Model No. TD057
LED Downlight with Lens**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TD057-A	15W	1300lm	Philips Driver	CREE	3000K	24°	>0.90	Ra80/90	D115*H80	D95
TD057-B	30W	2500lm			4000K	38°			D142*H101	D125
TD057-C	40W	3300lm			5000K	60°			D160*H133	D140



**17. Model No. TSD0808
Oblique Downlight Square**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TSD0808-A	10W	800lm	Philips Driver	CREE	3000K 4000K 5000K	24°	>0.90	Ra80/90	SQ95*H98	80*80
TSD0808-B	15W	1200lm							SQ115*H120	100*100

9. warranty 3/5 years



Light Up the Green World . LED Downlights Expert 7 Years



18. Model No. TSD0816
Spot Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TSD0816-A	10W	850lm	Philips Driver	CREE	3000K 4000K 5000K	24°	>0.90	Ra80/90	SQ75*H65	D70
TSD0816-B	15W	1300lm							SQ100*H85	D90
TSD0816-C	20W	1700lm							SQ135*H110	D115



19. Model No. DD001-1
LED Grille Light 1 Head

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
DD001-1-A	10W	850lm	Philips Driver	CREE	3000K 4000K 5000K	24°	>0.90	Ra80/90	SQ140*H144	125*125
DD001-1-B	15W	1300lm		CITIZEN		60°			SQ160*H163	145*145
DD001-1-C	25W	2200lm		SQ190*H173		170*170				
DD001-1-D	40W	3400lm		SQ203*H188		185*185				

10. warranty 3/5 years



Light Up the Green World . LED Downlights Expert 7 Years



**20. Model No. DD001-2
LED Grille Light 2 Heads**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
DD001-2-A	2*10W	2*850lm	Philips Driver	CREE CITIZEN	3000K 4000K 5000K	24° 60°	>0.90	Ra80/90	260*140*H144	245*125
DD001-2-B	2*15W	2*1300lm							320*160*H163	305*145
DD001-2-C	2*25W	2*2200lm							375*190*H173	355*170
DD001-2-D	2*40W	2*3400lm							405*203*H188	385*185



**21. Model No. DD001-3
LED Grille Light 3 Heads**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
DD001-3-A	3*10W	3*850lm	Philips Driver	CREE CITIZEN	3000K 4000K 5000K	24° 60°	>0.90	Ra80/90	372*140*H144	360*125
DD001-3-B	3*15W	3*1300lm							462*160*H163	450*145
DD001-3-C	3*25W	3*2200lm							538*190*H173	520*170

11. warranty 3/5 years




Light Up the Green World . LED Downlights Expert 7 Years



22. Model No. GSD801

Product Name: LED Grille Downlight 8W

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
GSD801-1-C	1*8W	700lm	Philips Driver	CREE	3000K 4000K 5000K	15° 24°	>0.90	Ra80/90	110*110*96	100*100
GSD801-2-C	2*8W	2*700lm							190*110*96	180*100
GSD801-3-C	3*8W	3*700lm							264*110*96	255*100
GSD801-4-C	4*8W	4*700lm							190*190*96	180*180



23. Model No. GSD1201

Product Name: LED Grille Downlight 12W

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
GSD1201-1-C	1*12W	1000lm	Philips Driver	CREE	3000K 4000K 5000K	15° 24°	>0.90	Ra80/90	132*132*121	120*120
GSD1201-2-C	2*12W	2*1000lm							232*132*121	220*120
GSD1201-3-C	3*12W	3*1000lm							340*132*121	330*120
GSD1201-4-C	4*12W	4*1000lm							232*232*121	220*220

12. warranty 3/5 years



Light Up the Green World . LED Downlights Expert 7 Years



24. Model No. GSD1201

Product Name: LED Grille Downlight 12W

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
GSD1201-1-A	1*12W	1000lm	Philips Driver	CREE	3000K 4000K 5000K	15°	>0.90	Ra80/90	133*132*110	120*120
GSD1201-2-A	2*12W	2*1000lm				24°			232*132*110	220*120
GSD1201-3-A	3*12W	3*1000lm				240*132*110			330*120	
GSD1201-4-A	4*12W	4*1000lm				232*232*110			225*225	



25. Model No. SD005

Product Name: LED Trunk Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
SD005-2.5F	10W	850lm	Philips Driver	CREE	3000K 4000K 5000K	24°	>0.90	Ra80/90	D90*H70	D75
SD005-3F	15W	1300lm				38°			D115*H125	D100
SD005-4F	25W	2200lm				D138*H120			D128	
SD005-5F	35W	2900lm				D165*H155			D145	
SD005-6F	40W	350lm				D190*H165			D175	

13. warranty 3/5 years



Light Up the Green World . LED Downlights Expert 7 Years



26. Model No. ATD002-2

Product Name: Eyeball LED Downlight 2 Heads

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
ATD002-2-A	2*12W	2*1000lm	Philips Driver	CREE	3000K	15°	>0.90	Ra80/90	W115*L210*H95	W95*L190
ATD002-2-B	2*20W	2*1700lm			4000K	24°			W135*L250*H120	W115*L230
ATD002-2-C	2*30W	2*2500lm			5000K	38°			W135*L250*H130	W115*L230



27. Model No. ATD002

Product Name: Eyeball LED Downlight 1 Head

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
ATD002-3F	12W	1050lm	Philips Driver	CREE	3000K	15°	>0.90	Ra80/90	D115*H95	D95
ATD002-4F	15W	1300lm			4000K	24°			D115*H105	D95
ATD002-5F	20W	1700lm			5000K	40°			D135*H120	D120
ATD002-6F	30W	2600lm			D135*H130	D120				

14. warranty 3/5 years



Light Up the Green World . LED Downlights Expert 7 Years



28. Model No. TSD0806

Product Name: Square Adjustable LED Downlight 10W 15W 20W

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TSD0806-A	10W	850lm	Philips Driver	CREE	3000K 4000K 5000K	24°	>0.90	Ra80/90	SQ85*H65	D75
TSD0806-B	15W	1300lm							SQ110*H85	D95
TSD0806-C	20W	1700lm							SQ145*H100	D115



29. Model No. TSD0803

Product Name: Round LED Spot Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TSD0803-A	10W	850lm	Philips Driver	CREE	3000K 4000K 5000K	24°	>0.90	Ra80/90	D80*H90	D75
TSD0803-B	15W	1300lm							D100*H115	D90
TSD0803-C	20W	1700lm							D135*H145	D115

15. warranty 3/5 years



Light Up the Green World . LED Downlights Expert 7 Years



30. Model No. TD036A

Product Name: SMD/COB LED Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TD036A-5F	10W	850lm	Philips Driver	SMD	3000K 4000K 6000K	100°	>0.90	Ra80	D145*H63	D125
TD036A-6F	20W	1700lm							D196*H63	D170
TD036A-8F	30W	2500lm							D242*H63	D210



31. Model No. SMDL001

Product Name: Square Surface Mounted Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Height(mm)
SMDL002-4F	9W	750lm	Philips Driver	CREE	3000K 4000K 5000K	24°	>0.90	Ra80/90	90*90	90
SMDL002-5F	15W	1300lm				45°			110*110	120
SMDL002-6F	30W	2500lm				130*130			135	
SMDL002-8F	40W	3300lm				160*160			165	

16. warranty 3/5 years



Light Up the Green World . LED Downlights Expert 7 Years



32. Model No. RADL005

Product Name: 360° Rotatable LED Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	CRI	Size(mm)	Cutout(mm)
RADL005-A	3W	250lm	Philips Driver	CREE COB	3000K	60°	RA>80	D70*H30	D55
RADL005-B	5W	400lm			4000K		RA>90	D88*H33	D75
RADL005-C	7W	600lm			5000K		D110*H35	D95	



33. Model No. SD005-6F

Product Name: Double Rings Adjustable Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	CRI	Size(mm)	Cutout(mm)
SD005-6F	30W	2700lm	Philips Driver	CREE COB	3000K	24°	RA>80	D165*H95	D145
SD005-8F	40W	3500lm			4000K		RA>90	D198*H130	D165
					5000K				

17. warranty 3/5 years




Light Up the Green World . LED Downlights Expert 7 Years



34. Model No. TSD0810

Product Name: Oblique Square LED Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	CRI	Size(mm)	Cutout(mm)
TSD0810-A	10W	850lm	Philips Driver	CREE COB	3000K	24°	RA>80	SQ85*H110	L78*W78
TSD0810-B	5W	430lm			4000K		5000K	RA>90	SQ85*H80



35. Model No. ASMDL002-3F

Product Name: Adjustable Surface Mounted LED Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	CRI	Size(mm)
ASMDL002-3F	10W	850lm	Philips Driver	CREE COB	3000K 4000K 5000K	24°	RA>80 RA>90	D68*H1198

18. warranty 3/5 years




Light Up the Green World . LED Downlights Expert 7 Years



36. Model no. TD062-8F

Product name: 60W LED COB Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	CRI	Size(mm)	Cutout(mm)
TD062-8F	60W	5400lm	LinKuan Driver	CREE COB	3000K 4000K 5000K	60°	RA>80 RA>90	D233*H133	D210mm



37. Model no. HSTD002-A

Product name: Adjustable Spotlight Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	CRI	Size(mm)	Cutout(mm)
HSTD002-A	7W	560lm	Philips Driver	CREE COB	3000K	10°	RA>80	D85*H90	D75
HSTD002-B	10W	850lm			4000K	20°	RA>90	D85*H110	D75
					5000K	30°			

19. warranty 3/5 years