



Light Up the Green World . LED Downlights Expert 7 Years

**New LED COB Downlight**



**1: Model No. TSD0810**

**Product Name: Oblique Square LED Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	CRI	Size(mm)	Cutout(mm)
TSD0810-A	10W	850lm	Philips Driver	CREE COB	3000K	24°	RA>80	SQ85*H110	L78*W78
TSD0810-B	5W	430lm			4000K		RA>90	SQ85*H80	L78*W78
					5000K				



**2: Model no. TD062-8F**

**Product name: 60W LED COB Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	CRI	Size(mm)	Cutout(mm)
TD062-8F	60W	5100lm	LinKuan Driver	CREE COB	3000K	60°	RA>80	D233*H133	D210mm
					4000K		RA>90		
					5000K				

**1. warranty 3/5 years**



**3: Model no. HSTD002-A**

**Product name: Adjustable Spotlight Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	CRI	Size(mm)	Cutout(mm)
HSTD002-A	7W	560lm	Philips Driver	CREE COB	3000K	10°	RA>80	D85*H90	D75
HSTD002-B	10W	850lm			4000K	20°	RA>90	D85*H110	D75
					5000K	30°			

**Hot Selling LED COB Downlight**



**4: Model No. TD051A**

**LED COB Downlight**

TD051B

TD051D

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TD051-2.5F	5W	400lm	Philips Driver	CREE COB	3000K 4000K 5000K	50°	>0.90	Ra80/90	φ89.7*H56	φ75
TD051-3F	9W	790lm							φ110*H68	φ90
TD051-4F	15W	1300lm							φ137.5*H82	φ120
TD051-5F	20W	1700lm							φ165*H91	φ140
TD051-6F	30W	2600lm							φ195*H107	φ170
TD051-8F	40W	3500lm							φ235*H127.5	φ200

**2. warranty 3/5 years**



**5: Model No. TD053A  
IP54 COB Downlight**

TD053B

TD053C

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TD053-3F	10W	850lm	Philips Driver	CREE COB	3000K 4000K 5000K	50°	>0.90	Ra80/90	φ110*H61	φ95
TD053-4F	15W	1300lm							φ135*H69	φ110
TD053-5F	25W	2200lm							φ160*H75	φ130
TD053-6F	40W	3500lm							φ185*H100	φ165
TD053-8F	60W	4800lm							φ240*H120	φ205



**6: Model No. TD033A  
IP44 LED Downlight**

TD033B

TD033C

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TD033-3F	9W	750lm	Philips Driver	CREE COB	3000K 4000K 5000K	60°	>0.90	Ra80/90	φ108*H52	φ95
TD033-4F	15W	1300lm							φ142*H65	φ125
TD033-5F	20W	1700lm							φ158*H75	φ140
TD033-6F	25W	2200lm							φ185*H88	φ170
TD033-8F	40W	3500lm							φ226*H108	φ210
TD033-10F	60W	5000lm							φ282*H130	φ265

**3. warranty 3/5 years**



**7: Model No. TD041**

**Horn LED Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TD041-3F	9W	750lm	Philips Driver	CREE	3000K	24°	>0.90	Ra80/90	φ105*H90.5	φ95
TD041-4F	15W	1300lm		COB	4000K	60°			φ139*H110.5	φ125
TD041-5F	25W	2200lm		5000K	φ162*H125.5	φ140				
TD041-6F	40W	3500lm		φ185*H145	φ170					



**8: Model No. TD060**

**Product Name: LED COB Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TD060-4F	20W	1800lm	Philips Driver	CREE	3000K	40°	>0.90	Ra80/90	φ150*H80	φ130
TD060-6F	30W	2700lm		COB	4000K	φ195*H100			φ175	
TD060-8F	40W	3600lm		5000K	φ220*H110	φ200				

**4. warranty 3/5 years**



**9: Model No. TD056**

**SMD COB Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TD056-4F	12W	100lm	Philips Driver	SanAn COB	3000K 4000K 6000K	60°	>0.90	Ra80/90	φ148*H63	φ125
TD056-6F	20W	1600lm							φ195*H63	φ168
TD056-8F	30W	2400lm							φ230*H63	φ190
TD056-10F	30W	2400lm							φ280*H88	φ195



**10: Model No. TD057**

**LED Downlight with Lens (Max: 80W)**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TD057-A	15W	1300lm	Philips Driver	CREE	3000K 4000K 5000K	24° 38° 60°	>0.90	Ra80/90	D115*H80	D95
TD057-B	30W	2500lm							D142*H101	D125
TD057-C	40W	3300lm							D160*H133	D140

5. warranty 3/5 years



**11: Model No. TD036A**

**Product Name: SMD COB LED Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TD036A-5F	10W	850lm	Philips Driver	SMD	3000K	100°	>0.90	Ra80	D145*H63	D125
TD036A-6F	20W	1700lm			4000K				D196*H63	D170
TD036A-8F	30W	2500lm			6000K				D242*H63	D210

**Adjustable Downlights**



**12: Model No. ATD001**

**Adjustable LED Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
ATD001-A	10W	850lm	Philips Driver	CREE CITIZEN	3000K 4000K 5000K	24° 60°	>0.90	Ra80/90	D111*H90	D80
ATD001-B	15W	1300lm							D120*H105	D90
ATD001-C	20W	1700lm							D142*H120	D110
ATD001-D1/ D2	30W 40W	2500lm 3400lm							D180*H130	D145/D160
ATD001-E1	40W	3400lm							D194*H135	D160

**6. warranty 3/5 years**

**13: Model No. ATD002****Product Name: Eyeball LED Downlight 1 Head**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
ATD002-3F	12W	1050lm	Philips Driver	CREE	3000K	15°	>0.90	Ra80/90	D115*H95	D95
ATD002-4F	15W	1300lm			4000K	24°			D115*H105	D95
ATD002-5F	20W	1700lm			5000K	40°			D135*H120	D120
ATD002-6F	30W	2600lm			D135*H130	D120				

**14: Model No. ATD002-2****Product Name: Eyeball LED Downlight 2 Heads**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
ATD002-2-A	2*12W	2*1000lm	Philips Driver	CREE	3000K	15°	>0.90	Ra80/90	W115*L210*H95	W95*L190
ATD002-2-B	2*20W	2*1700lm			4000K	24°			W135*L250*H120	W115*L230
ATD002-2-C	2*30W	2*2500lm			5000K	38°			W135*L250*H130	W115*L230

**7. warranty 3/5 years**



### 360 Degree Rotatable Downlights



15: Model No. RADL005

Product Name: 360° Rotatable LED Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	CRI	Size(mm)	Cutout(mm)
RADL005-A	3W	250lm	Philips Driver	CREE COB	3000K	60°	RA>80	D70*H30	D55
RADL005-B	5W	400lm			4000K		RA>90	D88*H33	D75
RADL005-C	7W	600lm			5000K			D110*H35	D95




16: Model No. SD005-6F

Product Name: Double Rings Adjustable Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	CRI	Size(mm)	Cutout(mm)
SD005-6F	30W	2700lm	Philips Driver	CREE COB	3000K	24°	RA>80	D165*H95	D145
SD005-8F	40W	3500lm			4000K		RA>90	D198*H130	D165
					5000K				


8. warranty 3/5 years





**17: Model No. SD001  
LED Gimbal Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
SD001-3F	7W	550lm	Philips Driver	CREE	3000K	24°	>0.90	Ra80/90	φ86*H68	φ70
SD001-4F	12W	1000lm		COB	4000K				φ118*H65	φ90
SD001-5F	20W	1700lm		5000K	φ140*H80				φ120	
SD001-6F	30W	2500lm		φ160*H125	φ145					




**18: Model No. SD004  
LED Square Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
SD004A	30W	2400lm	Philips Driver	CREE	3000K	12°	>0.90	Ra80/90	SQ175*H145	150*150
SD004B	50W	4000lm		COB	4000K	24°			SQ175*H180	150*150
SD004C	2*30W	2*2400lm		5000K	36°	175*325*H145			150*300	
SD004D	2*50W	2*4000lm		175*325*H180	150*300					

9. warranty 3/5 years



### LED Downlight Module




Model No. DLM001-A

DLM001-B

DLM001-C

DLM001-D



19: Model No. DLM001-E

DLM001-F

DLM001-C

### Modular Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
DLM001-A	10W	850lm	Philips Driver	CREE COB	3000K	15°	>0.90	Ra80/90	SQ95*H98	85*85
	15W	1300lm			4000K	24°			SQ95*H103	
DLM001-B	10W	850lm		6000K	36°	SQ105*H113			95*95	
	15W	1300lm		SQ105*H118						
DLM001-C	10W	850lm		SQ95*H118	85*85					
	15W	1300lm		SQ95*H123						
DLM001-D	10W	850lm		φ95*H98	φ85					
	15W	1300lm		φ95*H103						
DLM001-E	10W	850lm		φ90*H105	φ80					
	15W	1300lm		φ90*H110						
DLM001-F	10W	850lm		φ85*H105	φ77					
	15W	1300lm		φ85*H112						

10. warranty 3/5 years



**20: Model No. DLM002**  
**Trimless Modular Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
DLM002-A	5W	400lm	Philips Driver	CREE	3000K	15°	>0.90	Ra80/90	φ91*H78	φ92
DLM002-B	10W	800lm		COB	4000K 6000K	24° 38° 55°			φ91*H115	


**LED Linear Downlight**



**21: Model No. XTD-B**  
**Trimless Linear Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
XTD-B-01	2W*1	150lm	Philips Driver	CREE	3000K	15°	>0.90	Ra80/90	35*35*H49	42*42
XTD-B-02	2W*2	300lm		Osram	4000K	30°			65*35*H49	72*42
XTD-B-05	2W*5	800lm		5000K	45°	138*35*H49			144*42	
XTD-B-10	2W*10	1700lm		270*35*H49	277*42					
XTD-B-15	2W*15	2500lm		403*35*H49	409*42					

**11. warranty 3/5 years**



**22: Model No. XTD-A**  
**LED Linear Downlight with Trim**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
XTD-A-01	2W*1	150lm	Philips Driver	CREE	3000K	15°	>0.90	Ra80/90	45*45*H49	37*37
XTD-A-02	2W*2	300lm		Osram	4000K	30°			75*45*H49	68*37
XTD-A-05	2W*5	800lm		5000K	45°	147*45*H49			140*37	
XTD-A-10	2W*10	1700lm		280*45*H49	273*37					
XTD-A-15	2W*15	2500lm		415*45*H49	405*37					

12. warranty 3/5 years



### Surface Mounted LED Downlight



#### 23: Model No. SMDL003

#### Product Name: Round Surface Mounted Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Height(mm)
SMDL003-4F	9W	750lm	Philips Driver	CREE	3000K	24°	>0.90	Ra80/90	D90	90
SMDL003-5F	15W	1300lm			4000K	45°			D110	120
SMDL003-6F	25W	1700lm			5000K	D130			152	
SMDL003-8F	35W	2500lm			D170	185				



#### 23: Model No. SMDL002

#### Product Name: Square Surface Mounted Downlight

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Height(mm)
SMDL002-4F	9W	750lm	Philips Driver	CREE	3000K	24°	>0.90	Ra80/90	90*90	90
SMDL002-5F	20W	1700lm			4000K	45°			110*110	120
SMDL002-6F	30W	2500lm			5000K	130*130			135	
SMDL002-8F	40W	3300lm			160*160	165				

13. warranty 3/5 years



**24: Model No. SMDL001**  
**Square Surface Mounted Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Height(mm)
SMDL001-4F	10W	850lm	Philips Driver	CREE	3000K 4000K 5000K	24°	>0.90	Ra80/90	80*80	103
SMDL001-5F	15W	1300lm							100*100	112
SMDL001-6F	20W	1700lm							120*120	133
SMDL001-8F	30W	2500lm							150*150	142



**25: Model No. ASMDL002-3F**  
**Product Name: Adjustable Surface Mounted LED Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	CRI	Size(mm)
ASMDL002-3F	10W	850lm	Philips Driver	CREE COB	3000K 4000K 5000K	24°	RA>80 RA>90	D68*H198



### LED Gimbal Downlight



**26: Model No. SD002**  
**LED Gimbal Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
SD002-2.5F	7W	550lm	Philips Driver	CREE COB	3000K 4000K 5000K	24°	>0.90	Ra80/90	φ85*H78	φ76
SD002-4F	15W	1300lm							φ130*H110	φ120
SD002-5F	30W	2500lm							φ165*H143	φ155
SD002-6F	40W	3500lm							φ190*H155	φ170



**27: Model No. SD005**

**Product Name: LED Trunk Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
SD005-2.5F	10W	850lm	Philips Driver	CREE	3000K 4000K 5000K	24°	>0.90	Ra80/90	D90*H70	D75
SD005-3F	15W	1300lm				38°			D115*H125	D100
SD005-4F	25W	2200lm				D138*H120			D128	
SD005-5F	35W	2900lm				D165*H155			D145	
SD005-6F	40W	3500lm				D190*H165			D175	

**15. warranty 3/5 years**



### LED Wall Washer Downlight



**28: Model No. HSTD001**  
**LED Wall Washer Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
HSTD001-A	10W	850lm	Philips Driver	CREE	3000K 4000K 5000K	24° 38°	>0.90	Ra80/90	D90*H113	D78
HSTD001-B	15W	1300lm							D90*H134	D78
HSTD001-C	20W	1700lm							D120*H116	D100
HSTD001-D	40W	3500lm							D160*H156	D140

### LED Spot Downlight



**29: Model No. TSD0808**  
**Oblique Downlight Square**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TSD0808-A	10W	800lm	Philips Driver	CREE	3000K 4000K 5000K	24°	>0.90	Ra80/90	SQ95*H98	80*80
TSD0808-B	15W	1200lm							SQ115*H120	100*100





**30: Model No. TSD0816**  
**Spot Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TSD0816-A	10W	850lm	Philips Driver	CREE	3000K 4000K 5000K	24°	>0.90	Ra80/90	SQ75*H65	D70
TSD0816-B	15W	1300lm							SQ100*H85	D90
TSD0816-C	20W	1700lm							SQ135*H110	D115



**31: Model No. TSD0806**

**Product Name: Square Adjustable LED Downlight 10W 15W 20W**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TSD0806-A	10W	850lm	Philips Driver	CREE	3000K 4000K 5000K	24°	>0.90	Ra80/90	SQ85*H65	D75
TSD0806-B	15W	1300lm							SQ110*H85	D95
TSD0806-C	20W	1700lm							SQ145*H100	D115



**32: Model No. TSD0803**

**Product Name: Round LED Spot Downlight**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TSD0803-A	10W	850lm	Philips Driver	CREE	3000K 4000K 5000K	24°	>0.90	Ra80/90	D80*H90	D75
TSD0803-B	15W	1300lm							D100*H115	D90
TSD0803-C	20W	1700lm							D135*H145	D115

**LED Grille Downlights**



**33: Model No. DD001-1**

**LED Grille Light 1 Head**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
DD001-1-A	10W	850lm	Philips Driver	CREE CITIZEN	3000K 4000K 5000K	24° 60°	>0.90	Ra80/90	SQ140*H144	125*125
DD001-1-B	15W	1300lm							SQ160*H163	145*145
DD001-1-C	25W	2200lm							SQ190*H173	170*170
DD001-1-D	40W	3400lm							SQ203*H188	185*185

**18. warranty 3/5 years**



**34: Model No. DD001-2**  
**LED Grille Light 2 Heads**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
DD001-2-A	2*10W	2*850lm	Philips Driver	CREE	3000K	24°	>0.90	Ra80/90	260*140*H144	245*125
DD001-2-B	2*15W	2*1300lm		CITIZEN	4000K	60°			320*160*H163	305*145
DD001-2-C	2*25W	2*2200lm		5000K	375*190*H173	355*170				
DD001-2-D	2*40W	2*3400lm		405*203*H188	385*185					



**35: Model No. DD001-3**  
**LED Grille Light 3 Heads**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
DD001-3-A	3*10W	3*850lm	Philips Driver	CREE	3000K	24°	>0.90	Ra80/90	372*140*H144	360*125
DD001-3-B	3*15W	3*1300lm		CITIZEN	4000K	60°			462*160*H163	450*145
DD001-3-C	3*25W	3*2200lm		5000K	538*190*H173	520*170				



**36: Model No. GSD1201**

**Product Name: LED Grille Downlight 12W**

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
GSD1201-1-A	1*12W	1000lm	Philips Driver	CREE	3000K 4000K 5000K	15° 24°	>0.90	Ra80/90	133*132*110	120*120
GSD1201-2-A	2*12W	2*1000lm							232*132*110	220*120
GSD1201-3-A	3*12W	3*1000lm							240*132*110	330*120
GSD1201-4-A	4*12W	4*1000lm							232*232*110	225*225

20. warranty 3/5 years